



makes your job easier


LOOSE NAILS & STAPLES

PRODUCT CATALOGUE


Flat Head Loose Nails

Bright, Galvanised, Silicon Bronze, 316 Stainless Steel

Purchase per Outer



Bright Smooth - Indoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
40	2.00	LBF200040SM5KG	5KG	4
50	2.50	LBF250050SM5KG	5KG	4
60	2.80	LBF280060SM5KG	5KG	4
75	3.15	LBF315075SM5KG	5KG	4
90	3.55	LBF355090SM5KG	5KG	4
100	4.00	LBF400100SM5KG	5KG	4
60	2.80	LBF280060SM15KG	15KG	Each
75	3.15	LBF315075SM15KG	15KG	Each
90	3.55	LBF355090SM15KG	15KG	Each
100	4.00	LBF400100SM15KG	15KG	Each




Galvanised Smooth - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
19	1.60	LGF160019SM500G	500G	6
25	1.60	LGF160025SM500G	500G	6
40	2.00	LGF200040SM500G	500G	6
50	2.50	LGF250050SM500G	500G	6
60	2.80	LGF280060SM500G	500G	6
75	3.15	LGF315075SM500G	500G	6
90	3.55	LGF355090SM500G	500G	6
100	4.00	LGF400100SM500G	500G	6
125	5.30	LGF530125SM500G	500G	6
150	6.00	LGF600150SM500G	500G	6
40	2.00	LGF200040SM2KG	2KG	5
50	2.50	LGF250050SM2KG	2KG	5
60	2.80	LGF280060SM2KG	2KG	5
75	3.15	LGF315075SM2KG	2KG	5
90	3.55	LGF355090SM2KG	2KG	5
100	4.00	LGF400100SM2KG	2KG	5
125	5.30	LGF530125SM2KG	2KG	5
150	6.00	LGF600150SM2KG	2KG	5
40	2.00	LGF200040SM5KG	5KG	4
50	2.50	LGF250050SM5KG	5KG	4
60	2.80	LGF280060SM5KG	5KG	4
75	3.15	LGF315075SM5KG	5KG	4
90	3.55	LGF355090SM5KG	5KG	4
100	4.00	LGF400100SM5KG	5KG	4
125	5.30	LGF530125SM5KG	5KG	4
150	6.00	LGF600150SM5KG	5KG	4
60	2.80	LGF280060SM15KG	15KG	Each
75	3.15	LGF315075SM15KG	15KG	Each
90	3.55	LGF355090SM15KG	15KG	Each
100	4.00	LGF400100SM15KG	15KG	Each
125	5.30	LGF530125SM15KG	15KG	Each
150	6.00	LGF600150SM15KG	15KG	Each


Flat Head Loose Nails

Bright, Galvanised, Silicon Bronze, 316 Stainless Steel

Purchase per Outer



Silicon Bronze Annular Groove - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
19	1.60	LSBF160019AG100G	100G	6
25	1.60	LSBF160025AG100G	100G	6
40	2.80	LSBF280040AG500G	500G	6
50	2.80	LSBF280050AG500G	500G	6
60	3.25	LSBF325060AG500G	500G	6
75	3.25	LSBF325075AG500G	500G	6
60	3.25	LSBF325060AG2KG	2KG	5
75	3.25	LSBF325075AG2KG	2KG	5
40	2.80	LSBF280040AG5KG	5KG	4
50	2.80	LSBF280050AG5KG	5KG	4
60	3.25	LSBF325060AG5KG	5KG	4
75	3.25	LSBF325075AG5KG	5KG	4




316 Stainless Steel Annular Groove - Outdoor & Sea Spray Zone Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
19	1.60	LSSF160019AG500G	500G	6
25	1.60	LSSF160025AG500G	500G	6
30	2.80	LSSF280030AG500G	500G	6
40	2.80	LSSF280040AG500G	500G	6
50	2.80	LSSF280050AG500G	500G	6
60	3.15	LSSF315060AG500G	500G	6
75	3.15	LSSF315075AG500G	500G	6
90	4.00	LSSF400090AG500G	500G	6
100	4.00	LSSF400100AG500G	500G	6
125	5.30	LSSF530125AG500G	500G	6
150	5.30	LSSF530150AG500G	500G	6
40	2.80	LSSF280040AG2KG	2KG	5
50	2.80	LSSF280050AG2KG	2KG	5
60	3.15	LSSF315060AG2KG	2KG	5
75	3.15	LSSF315075AG2KG	2KG	5
90	4.00	LSSF400090AG2KG	2KG	5
100	4.00	LSSF400100AG2KG	2KG	5
40	2.80	LSSF280040AG5KG	5KG	4
50	2.80	LSSF280050AG5KG	5KG	4
60	3.15	LSSF315060AG5KG	5KG	4
75	3.15	LSSF315075AG5KG	5KG	4
90	4.00	LSSF400090AG5KG	5KG	4
100	4.00	LSSF400100AG5KG	5KG	4


Jolt Head Loose Nails

Bright, Galvanised, 316 Stainless Steel

Purchase per Outer



Bright Smooth - Indoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
50	2.50	LBJ250050SM5KG	5KG	4
60	2.80	LBJ280060SM5KG	5KG	4
75	3.15	LBJ315075SM5KG	5KG	4
90	3.55	LBJ355090SM5KG	5KG	4
100	4.00	LBJ400100SM5KG	5KG	4
60	2.80	LBJ280060SM15KG	15KG	Each
75	3.15	LBJ315075SM15KG	15KG	Each
90	3.55	LBJ355090SM15KG	15KG	Each
100	4.00	LBJ400100SM15KG	15KG	Each




Galvanised Smooth - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
40	2.00	LGJ200040SM500G	500G	6
50	2.50	LGJ250050SM500G	500G	6
60	2.80	LGJ280060SM500G	500G	6
75	3.15	LGJ315075SM500G	500G	6
90	3.55	LGJ355090SM500G	500G	6
100	4.00	LGJ400100SM500G	500G	6
125	5.30	LGJ530125SM500G	500G	6
150	6.00	LGJ600150SM500G	500G	6
40	2.00	LGJ200040SM2KG	2KG	5
50	2.50	LGJ250050SM2KG	2KG	5
60	2.80	LGJ280060SM2KG	2KG	5
75	3.15	LGJ315075SM2KG	2KG	5
90	3.55	LGJ355090SM2KG	2KG	5
100	4.00	LGJ400100SM2KG	2KG	5
150	6.00	LGJ600150SM2KG	2KG	5
40	2.00	LGJ200040SM5KG	5KG	4
50	2.50	LGJ250050SM5KG	5KG	4
60	2.80	LGJ280060SM5KG	5KG	4
75	3.15	LGJ315075SM5KG	5KG	4
90	3.55	LGJ355090SM5KG	5KG	4
100	4.00	LGJ400100SM5KG	5KG	4
75	3.15	LGJ315075SM15KG	15KG	Each
90	3.55	LGJ355090SM15KG	15KG	Each
100	4.00	LGJ400100SM15KG	15KG	Each

Jolt Head Loose Nails

Bright, Galvanised, 316 Stainless Steel

Purchase per Outer




316 Stainless Steel Annular Groove - Outdoor & Sea Spray Zone Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
30	2.80	LSSJ280030AG500G	500G	6
50	2.80	LSSJ280050AG500G	500G	6
60	3.15	LSSJ315060AG500G	500G	6
75	3.15	LSSJ315075AG500G	500G	6
90	4.00	LSSJ400090AG500G	500G	6
100	4.00	LSSJ400100AG500G	500G	6
125	5.30	LSSJ530125AG500G	500G	6
150	5.30	LSSJ530150AG500G	500G	6
30	2.80	LSSJ280030AG2KG	2KG	5
50	2.80	LSSJ280050AG2KG	2KG	5
60	3.15	LSSJ315060AG2KG	2KG	5
75	3.15	LSSJ315075AG2KG	2KG	5
90	4.00	LSSJ400090AG2KG	2KG	5
100	4.00	LSSJ400100AG2KG	2KG	5
30	2.80	LSSJ280030AG5KG	5KG	4
50	2.80	LSSJ280050AG5KG	5KG	4
60	3.15	LSSJ315060AG5KG	5KG	4
75	3.15	LSSJ315075AG5KG	5KG	4
90	4.00	LSSJ400090AG5KG	5KG	4
100	4.00	LSSJ400100AG5KG	5KG	4


Bracket Nails

Galvanised, 316 Stainless Steel

Purchase per Outer



Galvanised Smooth - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
30	3.15	LGPR315030SM500G	500G	6
30	3.15	LGPR315030SM2KG	2KG	5
30	3.15	LGPR315030SM5KG	5KG	4




316 Stainless Steel Annular Groove - Outdoor & Sea Spray Zone Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
30	3.15	LSSPR315030AG500G	500G	6
45	3.33	LSSF333045AG500G	500G	6
30	3.15	LSSPR315030AG2KG	2KG	5
45	3.33	LSSF333045AG2KG	2KG	5
30	3.15	LSSPR315030AG5KG	5KG	4

Clout Nails

Galvanised

Purchase per Outer




Galvanised Smooth - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
30	2.50	LGCL250030SM500G	500G	6
40	2.50	LGCL250040SM500G	500G	6
30	2.50	LGCL250030SM2KG	2KG	5
40	2.50	LGCL250040SM2KG	2KG	5
30	2.50	LGCL250030SM5KG	5KG	4
40	2.50	LGCL250040SM5KG	5KG	4


Underlay Nails

Galvanised, 316 Stainless Steel

Purchase per Outer



Galvanised Annular Groove - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
25	2.50	LGUN250025AG500G	500G	6
25	2.50	LGUN250025AG2KG	2KG	5
25	2.50	LGUN250025AG5KG	5KG	4




316 Stainless Steel Annular Groove - Outdoor & Sea Spray Zone Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
25	2.50	LSSUN250025AG500G	500G	6

Plasterboard Nails

Gold Passivated

Purchase per Outer




Gold Passivated Annular Groove - Indoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
30	2.80	LZPL280030AG500G	500G	6
40	2.80	LZPL280040AG500G	500G	6
30	2.80	LZPL280030AG5KG	5KG	4


Fibre Cement Nails

Galvanised, 316 Stainless Steel

Purchase per Outer



Galvanised Smooth - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
40	2.80	LGFC280040SM500G	500G	6
50	2.80	LGFC280050SM500G	500G	6
60	3.15	LGFC315060SM500G	500G	6
40	2.80	LGFC280040SM2KG	2KG	5
50	2.80	LGFC280050SM2KG	2KG	5
60	3.15	LGFC315060SM2KG	2KG	5
40	2.80	LGFC280040SM5KG	5KG	4
50	2.80	LGFC280050SM5KG	5KG	4
60	3.15	LGFC315060SM5KG	5KG	4




316 Stainless Steel Annular Groove - Outdoor & Sea Spray Zone Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
40	2.80	LSSFC280040AG500G	500G	6
50	2.80	LSSFC280050AG500G	500G	6
60	3.15	LSSFC315060AG500G	500G	6
40	2.80	LSSFC280040AG2KG	2KG	5
50	2.80	LSSFC280050AG2KG	2KG	5
60	3.15	LSSFC315060AG2KG	2KG	5
40	2.80	LSSFC280040AG5KG	5KG	4
50	2.80	LSSFC280050AG5KG	5KG	4
60	3.15	LSSFC315060AG5KG	5KG	4


Decking Nails

Galvanised, 316 Stainless Steel

Purchase per Outer



Galvanised Annular Groove - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
60	3.15	LGDE315060AG500G	500G	6
75	3.15	LGDE315075AG500G	500G	6
60	3.15	LGDE315060AG2KG	2KG	5
75	3.15	LGDE315075AG2KG	2KG	5
60	3.15	LGDE315060AG5KG	5KG	4
75	3.15	LGDE315075AG5KG	5KG	4




316 Stainless Steel Annular Groove - Outdoor & Sea Spray Zone Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
60	3.15	LSSDE315060AG500G	500G	6
75	3.15	LSSDE315075AG500G	500G	6
60	3.15	LSSDE315060AG2KG	2KG	5
75	3.15	LSSDE315075AG2KG	2KG	5
60	3.15	LSSDE315060AG5KG	5KG	4
75	3.15	LSSDE315075AG5KG	5KG	4

Fence Paling Nails

Galvanised

Purchase per Outer




Galvanised Annular Groove - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
60	3.15	LGFE315060AG500G	500G	6
60	3.15	LGFE315060AG2KG	2KG	5
60	3.15	LGFE315060AG5KG	5KG	4

Metal Tile Black Coated Nails

Galvanised

Purchase per Outer




Galvanised Annular Groove - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
50	3.05	LGTB305050AG15KG	15KG	Each


Panel Pins

Zinc Plated, 316 Stainless Steel

Purchase per Outer



Zinc Plated Smooth - Indoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
19	1.60	LZPP160019SM500G	500G	6
25	1.60	LZPP160025SM500G	500G	6
30	1.60	LZPP160030SM500G	500G	6
40	1.60	LZPP160040SM500G	500G	6
50	2.00	LZPP200050SM500G	500G	6




316 Stainless Steel Smooth - Outdoor & Sea Spray Zone Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
25	1.60	LSSPP160025SM100G	100G	6
30	1.60	LSSPP160030SM100G	100G	6
40	1.60	LSSPP160040SM100G	100G	6
50	2.00	LSSPP200050SM100G	100G	6

Clinch Nails

316 Stainless Steel

Purchase per Outer




316 Stainless Steel Annular Groove - Outdoor & Sea Spray Zone Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
40	2.00	LSSCLINCH40AG500G	500G	6
50	2.80	LSSCLINCH50AG500G	500G	6


Rose Head Loose Nails

Silicon Bronze, 316 Stainless Steel

Purchase per Outer



Silicon Bronze Annular Groove - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
30	2.00	LSBRO200030AG500G	500G	6
50	2.80	LSBRO280050AG500G	500G	6
60	3.25	LSBRO325060AG500G	500G	6
75	3.25	LSBRO325075AG500G	500G	6
100	4.00	LSBRO400100AG500G	500G	6
50	2.80	LSBRO280050AG2KG	2KG	5
60	3.25	LSBRO325060AG2KG	2KG	5
75	3.25	LSBRO325075AG2KG	2KG	5
100	4.00	LSBRO400100AG2KG	2KG	5
50	2.80	LSBRO280050AG5KG	5KG	4
60	3.25	LSBRO325060AG5KG	5KG	4
75	3.25	LSBRO325075AG5KG	5KG	4
100	4.00	LSBRO400100AG5KG	5KG	4



316 Stainless Steel Annular Groove - Outdoor & Sea Spray Zone Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
30	2.00	LSSRO200030AG500G	500G	6
40	2.80	LSSRO280040AG500G	500G	6
50	2.80	LSSRO280050AG500G	500G	6
60	3.15	LSSRO315060AG500G	500G	6
75	3.15	LSSRO315075AG500G	500G	6
90	4.00	LSSRO400090AG500G	500G	6
100	4.00	LSSRO400100AG500G	500G	6
50	2.80	LSSRO280050AG2KG	2KG	5
60	3.15	LSSRO315060AG2KG	2KG	5
75	3.15	LSSRO315075AG2KG	2KG	5
100	4.00	LSSRO400100AG5KG	5KG	4
30	2.00	LSSRO200030AG5KG	5KG	4
60	3.15	LSSRO315060AG5KG	5KG	4
75	3.15	LSSRO315075AG5KG	5KG	4
90	4.00	LSSRO400090AG5KG	5KG	4
100	4.00	LSSRO400100AG5KG	5KG	4

Alternative



TurboSpitze™ CLADDING SCREW

Driven by Performance

Introducing our European Engineered Cladding Screw - the perfect solution for your weatherboard projects.


Crafted with precision and backed by **leading European engineering**, the TurboSpitze™ Cladding Screw ensures **easier installation and better performance for face fixed weatherboard than commonly used rose head nails.**



Barbed Staples

Galvanised

Purchase per Outer




Galvanised - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
30	3.15	LFBS315030BA500G	500G	6
40	4.00	LFBS400040BA500G	500G	6
50	4.00	LFBS400050BA500G	500G	6
30	3.15	LFBS315030BA5KG	5KG	4
40	4.00	LFBS400040BA5KG	5KG	4
50	4.00	LFBS400050BA5KG	5KG	4

Slice Cut Staples

Galvanised

Purchase per Outer



Galvanised - Outdoor Use				
Length (mm)	Diameter	Product Code	Weight	Pack / Outer
19	2.00	LFBS200019SL500G	500G	6
27	2.80	LFBS280027SL500G	500G	6
30	3.15	LFBS315030SL500G	500G	6
40	4.00	LFBS400040SL500G	500G	6
50	4.00	LFBS400050SL500G	500G	6
30	3.15	LFBS315030SL5KG	5KG	4
40	4.00	LFBS400040SL5KG	5KG	4
50	4.00	LFBS400050SL5KG	5KG	4