



2024


COLLATED FASTENERS

www.ecko.co.nz

FRAMING NAILS

34° PAPER COLLATED

D Head, Jolt Head & Round Head




■ Features & Benefits


- **HEAD**
D Head, Jolt Head & Round Head
- **FINISH**




■ BRANZ LISTING



- **APPLICATIONS**
Framing, Trusses, Subflooring
J frame, Decking, Fencing



SUITABLE FOR MAJOR AIR, GAS AND BATTERY FRAMERS



TO SUIT
ECKO FrameTec90™
Construction Air Framers
ND90S



TO SUIT
ECKO FrameTec100
Construction Air Framers
ND100S



*Please refer to the technical specification for fastener requirements or installation manual for each specific application you are working with.

FRAMING NAILS

34° PAPER COLLATED

D Head, Jolt Head & Round Head



HEAD	LENGTH (mm)	DIA.	PRODUCT CODE	SHANK	PCS/CARTON
Bright - Smooth					
D Head	65	2.87	ND-3465	Smooth	3000
	65	2.87	ND-3465H	Smooth	1000
	75	3.05	ND-3475	Smooth	3000
	75	3.05	ND-3475H	Smooth	1000
	90	3.15	ND-3490S	Smooth	3000
	90	3.15	ND-3490SH	Smooth	1000
	90	3.15	ND-3490SP	Smooth	3000
	90	3.15	ND-3488L	Smooth	3000
Galvanised - Smooth / Ring					
D Head	50	2.87	NDHP-3450R	Ring	3000
	50	2.87	NDHP-3450RH	Ring	1000
	65	2.87	NDHP-3465R	Ring	3000
	65	2.87	NDHP-3465RH	Ring	1000
	75	3.05	NDHP-3475R	Ring	3000
	75	3.05	NDHP-3475RH	Ring	1000
	90	3.15	NDHP-3490	Smooth	3000
	90	3.15	NDHP-3490H	Smooth	1000
Jolt Head	75	3.15	NJHP-3175R	Ring	3000
Round Head	50	2.87	OSR-3450R	Ring	1000
	65	2.87	OSR-3465R	Ring	1000
	75	3.05	OSR-3475R	Ring	1000
304 Stainless Steel - Ring					
D Head	50	2.87	NDSS-3450R	Ring	1000
	65	2.87	NDSS-3465R	Ring	1000
	75	3.05	NDSS-3475R	Ring	1000
	90	3.15	NDSS-3490R	Ring	1000
Round Head	50	2.87	OSRSS-3450R	Ring	1000
	65	2.87	OSRSS-3465R	Ring	1000
	75	3.05	OSRSS-3475R	Ring	1000

ECKO HAMMAHAND®

15° WEATHERBOARD COIL NAILS

Jolt Head & Round Head



■ Features & Benefits




■ HEAD

Jolt Head
Round Head

■ APPLICATIONS

Most James Hardie Building Products
Weatherboard Soffit lining
Tile & Slate underlay RAB Board
Ply bracing HomeRAB
Cavity batten HardieFlex

■ FINISH



TO SUIT
ECKO HAMMAHAND®
Weatherboard Nailer
WB75




*Please refer to the technical specification for fastener requirements or installation manual for each specific application you are working with.

HEAD	LENGTH (mm)	DIA.	PRODUCT CODE	COLLATION	PCS/CARTON
Galvanised - Ring					
Round Head	27	2.50	HHG-27V5R	WirelessCoil	3000
	40	2.80	HHG-40V8R	WirelessCoil	3000
	50	2.80	HHG-50V8R	WirelessCoil	3000
	60	2.80	HHG-60V8R	WirelessCoil	3000
	65	2.80	HHG-65V8R	WirelessCoil	3000
	75	3.15	HHG-75V8R	Wire Coil	3000
304 Stainless Steel - Ring					
Round Head	40	2.80	HHSS-40V8R	WirelessCoil	1000
	50	2.80	HHSS-50V8R	WirelessCoil	1000
	60	2.80	HHSS-60V8R	WirelessCoil	1000
	65	2.80	HHSS-65V8R	WirelessCoil	1000
	75	3.15	HHSS-75V8R	Wire Coil	1000
	90	3.15	HHSS-90V8R	Wire Coil	1000
Galvanised - Ring					
Jolt Head	60	2.80	JOG-60V8R	WirelessCoil	3000
	65	2.80	JOG-65V8R	WirelessCoil	3000
	75	3.15	JOG-75V8RPC	WirelessCoil	3000
304 Stainless Steel - Ring					
Jolt Head	60	2.80	JOSS-60V8R	WirelessCoil	1000
	65	2.80	JOSS-65V8R	WirelessCoil	1000
	75	3.15	JOSS-75V8RPC	WirelessCoil	1000
	90	3.15	JOSS-90V8R	Wire Coil	1000

JOIST HANGER NAILS

34° PAPER COLLATED



FINISH



APPLICATIONS

- Joist hanger and product nail installation
- Sub-floor strip brace to framing
- Strap brace and multibrace installation
- Nail on plate installation



Joist hangers installation




TO SUIT
ECKO Joist Hanger Nailer
PN38

*Please refer to the technical specification for fastener requirements or installation manual for each specific application you are working with.


LENGTH (mm)	DIA.	PRODUCT CODE	PCS/CARTON
Galvanised - Smooth			
38	3.33	JHMG-3338	2000
304 Stainless Steel - Ring			
38	3.33	JHSS-3338	1000

BDG / DA SERIES

15GA. 34° ANGLED BRADS



- **GAUGE**
15
- **ANGLE**
34°
- **FINISH**
- **APPLICATIONS**
Titan board
Axon panel
Light framing



Titan board

Axon panel

- **TO SUIT**

HIKOKI
MILWAUKEE
DeWALT
AEG




*Please refer to the technical specification for fastener requirements or installation manual for each specific application you are working with.

SUITABLE FOR MAJOR BRANDS OF 15GA. DA BRADDERS


LENGTH (mm)	GAUGE	PRODUCT CODE	PCS/Box
Electro Galvanised			
25	15	BDG-1325	3000
32	15	BDG-1532	3000
38	15	BDG-1738	3000
45	15	BDG-1945	3000
50	15	BDG-2150	3000
64	15	BDG-2564	3000
304 Stainless Steel			
25	15	BDSS-1325	1000
32	15	BDSS-1532	1000
38	15	BDSS-1738	1000
45	15	BDSS-1945	1000
50	15	BDSS-2150	1000
64	15	BDSS-2564	1000

FN SERIES

15GA. 25° ANGLED BRADS



- **GAUGE**
15
- **ANGLE**
25°
- **FINISH**
- **APPLICATIONS**
Titan board
Axon panel
Light framing



Titan board

Axon panel

- **TO SUIT**
ECKO
BOSTITCH




*Please refer to the technical specification for fastener requirements or installation manual for each specific application you are working with.

SUITABLE FOR MAJOR BRANDS OF 15GA. FN BRADDERS

LENGTH (mm)	GAUGE	PRODUCT CODE	PCS/PACK
Electro Galvanised			
25	15	EC-1525	1000
32	15	EC-1532	1000
38	15	EC-1538	1000
45	15	EC-1545	1000
50	15	EC-1550	1000
304 Stainless Steel			
25	15	ECSS-1525	1000
32	15	ECSS-1532	1000
38	15	ECSS-1538	1000
45	15	ECSS-1545	1000
50	15	ECSS-1550	1000

AG16 SERIES

16GA. 20° ANGLED BRADS



- **GAUGE**
16
- **ANGLE**
20°
- **FINISH**
- **APPLICATIONS**
Skirting
Interior finishing



TO SUIT

ECKO
PASLODE
MILWAUKEE
HIKOKI
DeWALT



*Please refer to the technical specification for fastener requirements or installation manual for each specific application you are working with.

SUITABLE FOR MAJOR BRANDS OF 16GA. ANGLE BRADDERS


LENGTH (mm)	GAUGE	PRODUCT CODE	PCS/PACK
Electro Galvanised			
32	16	AG-1632	2000
38	16	AG-1638	2000
45	16	AG-1645	2000
50	16	AG-1650	2000
63	16	AG-1663	2000
304 Stainless Steel			
32	16	AGSS-1632	2000
38	16	AGSS-1638	2000
45	16	AGSS-1645	2000
50	16	AGSS-1650	2000
63	16	AGSS-1663	2000

BC16 SERIES

16GA. STRAIGHT BRADS



- **GAUGE**
16
- **APPLICATIONS**
Skirting
Interior finishing



- **FINISH**



- **TO SUIT**
ECKO
PASLODE
HIKOKI
MAKITA
MILWAUKEE



Skirting

Interior finishing

*Please refer to the technical specification for fastener requirements or installation manual for each specific application you are working with.


SUITABLE FOR MAJOR BRANDS OF 16GA. STRAIGHT BRADDERS

LENGTH (mm)	GAUGE	PRODUCT CODE	PCS/PACK
Electro Galvanised			
25	16	BC-1625	2500
30	16	BC-1630	2500
35	16	BC-1635	2500
50	16	BC-1640	2500
45	16	BC-1645	2500
50	16	BC-1650	2500
63	16	BC-1663	2500
304 Stainless Steel			
25	16	BCSS-1625	2500
30	16	BCSS-1630	2500
38	16	BCSS-1638	2500
50	16	BCSS-1650	2500
63	16	BCSS-1663	2500



140 SERIES STAPLES

20GA. STAPLES



- **GAUGE**
20
- **APPLICATIONS**
Moisture wrap
House wrap
Roofing felt
Foam sheathing insulation
Labelling

■ FINISH



■ TO SUIT

ECKO Wrap-Tacker®
Air Stapler
RD1116P

ECKO Construction
Hammer Tacker
XPRO

ECKO H/D
Staple Gun Tacker
LT1




*Please refer to the technical specification for fastener requirements or installation manual for each specific application you are working with.

LENGTH (mm)	GAUGE	PRODUCT CODE	CROWN WIDTH (mm)	PCS/BOX
Electro Galvanised				
8	20	RD1108-5M	10.8	5000
10	20	RD1110-5M	10.8	5000




FENCE BATTEN STAPLES

3.15 & 4.00mm



BARBED STAPLES



SLICE CUT STAPLES

- **DIAMETER**
3.15 & 4.00mm
- **APPLICATIONS**
Rural livestock fencing
Horticulture
Rural heavy mesh
Heavy woven fencing
Highway boundary fencing

- **FINISH**



- **TO SUIT**

ECKO BattenMaster™
Barbed Stapler
FBS50

ECKO BattenMaster™
Gas Stapler
GTFB60LI



Fencing

*Please refer to the technical specification for fastener requirements or installation manual for each specific application you are working with.

LENGTH (mm)	DIA.	PRODUCT CODE	SHANK	PCS/BOX
Galvanised				
33	3.15	FBS31533	Smooth	2700
40	3.15	FBS31540	Smooth	2100
33	3.15	FBS31533BARB	Barbed	2100
40	3.15	FBS31540BARB	Barbed	1800
50	3.15	FBS31550BARB	Barbed	1400
50	4.00	FBS40050BARB	Barbed	1000



TECHNICAL SUPPORT

info@ecko.co.nz
(09) 279-0210
www.ecko.co.nz



@eckofasteners

