

ECKO COLLATED NAILS

BPIR DECLARATION

Version 1.0 October 2023



DESIGNATED BUILDING PRODUCT: Class 1

DECLARATION

ECKO Fastening Systems Limited (ECKO Fastenings) has provided this declaration to satisfy the provisions of the [Building \(Building Product Information Requirements\) Regulations 2022](#).

COMPANY DETAILS

Name	ECKO Fastening Systems Limited
Role	Supplier
NZBN	9429031498531
Address	17 Carpenter Road, East Tamaki, Auckland 2013
Website	www.ecko.co.nz
Email	info@ecko.co.nz

DESCRIPTION OF BUILDING PRODUCT

ECKO Fastening supplies collated Framing Nails with D Head, Jolt Head and Round Head. They are supplied at a 34° angle, with a smooth or annular ring shaft, diameter range 2.87 – 3.15 mm and lengths 50 – 90 mm. They are paper collated and are offered uncoated (bright), or hot-dipped galvanised or 304 stainless steel.

ECKO Hammahand collated nails are 15° wire or wireless coiled. They are supplied hot-dipped galvanised or 304 stainless steel, an annular ring shaft, diameter 2.5 – 3.15 mm and lengths 27 – 90 mm.

Joist hanger paper collated nails are supplied at a 34° angle, diameter of 3.33 mm and length of 38 mm. OD (hot-dipped) galvanised nails come with a smooth shaft and the 304 stainless steel nails have a annular ring shaft.

For more specific information in respect of ECKO collated nails and applications refer to [ECKO Collated Nails Brochure](#).

CONTRIBUTION TO BUILDING WORK CODE OBLIGATIONS

ECKO Fastening collated nails comply with the following building code clauses.

	Evidence
B1 (Structure) B1.3.1, B1.3.2 B1.3.3 (a, f, h, i, j, m, q)	Section 4, NZS3604:2011, table 4.1, allows non-galvanised, mild steel in all zones where used in closed environments.
B2 (Durability) B2.3.1 (a, b)	Where used in a sheltered environment, hot-dipped galvanised is required and for exposed environments 304 stainless steel is required.
F2 (Hazardous Building Materials) F2.3.1	ECKO provides collated nails that meet these requirements.

FOR FURTHER INFORMATION

ECKO Fastening collated nails must be used in accordance with all information supplied by ECKO Fastening Systems Limited.

For supporting information refer to www.ecko.co.nz.

RESPONSIBLE PERSON

In accordance with Regulation 8, as the responsible person I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that the ECKO Fastenings Staples referred to in this statement is not subject to a warning or ban under [s26 of the Building Act](#).

Signed for and on behalf ECKO Fastening Systems Ltd:

Darren Liu

Darren Liu
DIRECTOR

October 2023