



CORDLESS SERIES

RebarMaster

Cordless Rebar Tool

Hardened rebar wire - Coil

0.80mm



Features & Benefits

- Save up to 80% in time and labour
- No more RSI
- one hand operation
- Consistent fixing performance
- Safe operation
- No Staff training issues!
- Brushless twisting motor

Applications

- Foundations
- Floor heating
- Commercial buildings
- Road and Bridge
- Precast plants

Specifications

Dimensions (mm) L297 x W109 x H300

Weight(incl. battery) 2.60 kg

Time per tie 0.7 sec

Wraps per tie 2 or 3 wraps

Rebar size 12-40mm

Ties per coil Approx.160 ties

Tles per charge Over 5,000 ties/2 wraps

Over 4,500 ties/3 wraps

Charging time 90 minutes

Hardened Rebar Wire





PRODUCT CODE	DESCRIPTION	PER	CTN QTY	
RebarMaster Li-Ion Battery Rebar Tool - a system able to cover up to 80% of hand wire tying jobs Rebar, Mesh, Under Floor Heating, Swimming Pool, Bridge Work, Precast Construction				
XPOWERPLUS	RebarMaster XtraPower Rebar Tool (Li-ion) 2019 New Version	Each	Each	
Rebar Wire - Hardened Steel				
XP-080G	RebarMaster Hardened Rebar Wire - 0.80mm (20 coils)	Carton	20 coils	



Collated Screws

Interchangeable with Quik Drive auto-feed driving systems



Features & Benefits

- Interchangeable with Quik Drive auto-feed screw driving systems
- Better value

Applications

- Subflooring
- Decks
- Steel Framing
- Steel Decking
- Truck Beds

Collated Screws





















PRODUCT CODE	DESCRIPTION	PER	BOX QTY
Collated Screws			
Collated Screws - Zinc			
QDS8G50Z	8g x 50mm, #3 Sharp point, Yellow Zinc, Flat countersunk head	Вох	2,000
Collated Screws - Class	3 Galvanised		
QDS10G50C3	10g x 50mm, #3 Sharp point, Class 3 galv, Flat countersunk head	Вох	2,000
Collated Screws - 304 S	tainless Steel		
QDS10G50SS304	10g x 50mm, #3 Sharp point, 304 S/Steel, Flat countersunk head, Type 17	Вох	2,000
Collated Screws - WING	TEK		
QDS10G42WT	10g x 42mm, #2 Drill point, Class 3 Galv, Ribbed flat head, Wingtek	Вох	1,500
Purlin Collated Screws			
QDS10G80BLUE	10g x 80mm, #2 Sharp point, Purlin collated screws, Blue ruspert, Flat countersunk head	Вох	1,000

ECKO Speedline Screws fits with the following tool: Simpson Strong Tie, Stanway decking screw driver


Purlin Screws			
Purlin Loose Screws			
LS10G80BLUE250	10g x 80mm, #2 Sharp point, Purlin screws, Blue ruspert, Flat countersunk head	Вох	250
LS10G80BLUE1000	10g x 80mm, #2 Sharp point, Purlin screws, Blue ruspert, Flat countersunk head	Вох	1,000



MultiCell® Fuel Cell

Works in any gas framer

Framing Fuel Cell
Synthetic Lubricant for Optimum Performance



Features & Benefits

- Multicell® covers 99% of gas framers in NZ
- Synthetic lubricant inside the fuel cell to lubricate your nail gun as you use it.
- Automatic metering valve to ensure exactly the right amount of gas is released into the tool for optimum performance. (Patent pending)
- Tested to work in freezing conditions –
 Range -5°c to 49°c
- No more miss firing on those cold mornings
- Approximately 1,250 shots per fuel cell
- Sold at all good building stores and fastener suppliers

Applications

FramingJ frameTrussesSubflooringFencing

Specifications

Lenth (mm) 165mm
Pressure 12 bars
Net weight 36g

Gas Pack







Gas Pack

Gas Handy Pack

D Head Framing Nails





Works in any gas framer

Compatible with leading brands ECKO, Paslode, BeA, Power, SENCO, Makita, Hilti




PRODUCT CODE	DESCRIPTION	PER	CTN QTY
Cordless Fastening S	system		
ECKO MultiCell®			
EC2in1	ECKO MultiCell® (Works in any gas framer)	Each	12
ECKO Cordless Gas I			
GTND90G	ECKO Ultimate90® Gas Framer	Each	Each
D Head Nails - 34° P	aper Collated		
D Head Gas Pack - E	Bright		
ND-3465V	65 x 2.87 D-head Bright Smooth Gas Pack	Carton	3,000
ND-3475V	75 x 3.15 D-head Bright Smooth Gas Pack	Carton	3,000
ND-3490V	90 x 3.15 D-head Bright Smooth Gas Pack	Carton	3,000
D Head Gas Pack - 0	Galvanised		
NDHP-3450RV	50 x 2.87 D-head Galvanised Ring Gas Pack	Carton	3,000
NDHP-3465RV	65 x 2.87 D-head Galvanised Ring Gas Pack	Carton	3,000
NDHP-3475RV	75 x 3.015 D-head Galvanised Ring Gas Pack	Carton	3,000
NDHP-3490V	90 x 3.15 D-head Galvanised Smooth Gas Pack	Carton	3,000
D Head Gas Pack - 3	304 Stainless Steel		
NDSS-3450RV	50 x 2.87 D-head S/Steel Ring Gas Pack	Carton	1,000
NDSS-3465RV	65 x 2.87 D-head S/Steel Ring Gas Pack	Carton	1,000
NDSS-3475RV	75 x 3.05 D-head S/Steel Ring Gas Pack	Carton	1,000
NDSS-3490RV	90 x 3.15 D-head S/Steel Ring Gas Pack	Carton	1,000
D Head Gas Handy I	Pack - Bright		
ND-3465VH	65 x 2.87 D-head Bright Smooth Handy Gas Pack	Carton	1,000
ND-3475VH	75 x 3.15 D-head Bright Smooth Handy Gas Pack	Carton	1,000
ND-3490VH	90 x 3.15 D-head Bright Smooth Handy Gas Pack	Carton	1,000
D Head Gas Handy I	Pack - Galvanised		
NDHP-3450RVH	50 x 2.87 D-head Galvanised Ring Handy Gas Pack	Carton	1,000
NDHP-3465RVH	65 x 2.87 D-head Galvanised Ring Handy Gas Pack	Carton	1,000
NDHP-3475RVH	75 x 3.15 D-head Galvanised Ring Handy Gas Pack	Carton	1,000
NDHP-3490VH	90 x 3.15 D-head Galvanised Smooth Handy Gas Pack	Carton	1,000

ECKO MultiCell® & D Head paper strip nails fits in the following gas tools: Paslode CF325, ECKO, BeA, Power, Senco, Makita and Hilti gas framer

Ultimate90®

Gas Framer

D Head & Round Head 34° angle paper collated 50mm - 90mm



Features & Benefits

- Accepts both D head and Round head paper collated 34° framing nails
- Anti-jam magazine design
- Applicable for different brands of fasteners and fuel cells
- Easy maintenance and less parts
- Aggressive nose design for skew nailing
- Powerful & robust

Applications

FramingTrussesSubflooringFencing

Specifications

Driving power 778.92 inch/lbs
Dimensions (mm) L372 x W108 x H404

Weight 3.15 kg
Magazine capacity 60 nails
Fastener diameter 2.87 - 3.05mm
Fastener length 50 - 90mm

Max setting per hour Approx. 1,200 shots

Max setting per charge Approx. 5,200 shots

Charging time 2.5 hours



Gas Pack







Gas Pack

Gas Handy Pack

D Head Framing Nails

Works in any gas framer

Compatible with leading brands ECKO, Paslode, BeA, Power, SENCO, Makita, Hilti



PRODUCT CODE	DESCRIPTION	PER	CTN QTY
Cordless Fastening S	System		
ECKO MultiCell®			
EC2in1	ECKO MultiCell® (Works in any gas framer)	Each	12
ECKO Cordless Gas			_
GTND90G	ECKO Ultimate90® Gas Framer	Each	Each
D Head Nails - 34° F	Paper Collated		
D Head Gas Pack - I	•		
ND-3465V	65 x 2.87 D-head Bright Smooth Gas Pack	Carton	3,000
ND-3475V	75 x 3.15 D-head Bright Smooth Gas Pack	Carton	3,000
ND-3490V	90 x 3.15 D-head Bright Smooth Gas Pack	Carton	3,000
D Head Gas Pack - 0	Galvanised		
NDHP-3450RV	50 x 2.87 D-head Galvanised Ring Gas Pack	Carton	3,000
NDHP-3465RV	65 x 2.87 D-head Galvanised Ring Gas Pack	Carton	3,000
NDHP-3475RV	75 x 3.015 D-head Galvanised Ring Gas Pack	Carton	3,000
NDHP-3490V	90 x 3.15 D-head Galvanised Smooth Gas Pack	Carton	3,000
D Head Gas Pack - 3	304 Stainless Steel		
NDSS-3450RV	50 x 2.87 D-head S/Steel Ring Gas Pack	Carton	1,000
NDSS-3465RV	65 x 2.87 D-head S/Steel Ring Gas Pack	Carton	1,000
NDSS-3475RV	75 x 3.05 D-head S/Steel Ring Gas Pack	Carton	1,000
NDSS-3490RV	90 x 3.15 D-head S/Steel Ring Gas Pack	Carton	1,000
D Head Gas Handy	Pack - Bright		
ND-3465VH	65 x 2.87 D-head Bright Smooth Handy Gas Pack	Carton	1,000
ND-3475VH	75 x 3.15 D-head Bright Smooth Handy Gas Pack	Carton	1,000
ND-3490VH	90 x 3.15 D-head Bright Smooth Handy Gas Pack	Carton	1,000
D Head Gas Handy			
NDHP-3450RVH	50 x 2.87 D-head Galvanised Ring Handy Gas Pack	Carton	1,000
NDHP-3465RVH	65 x 2.87 D-head Galvanised Ring Handy Gas Pack	Carton	1,000
NDHP-3475RVH	75 x 3.15 D-head Galvanised Ring Handy Gas Pack	Carton	1,000
NDHP-3490VH	90 x 3.15 D-head Galvanised Smooth Handy Gas Pack	Carton	1,000

ECKO MultiCell® & D Head paper strip nails fits in the following gas tools: Paslode CF325, ECKO, BeA, Power, Senco, Makita and Hilti gas framer

Round Head

Round Head Framing Nails

Round Head 34° angle paper collated 50mm - 75mm



Features & Benefits

- Works in major brand gas framers
- Anti-jam collated design

Applications

- Framing - J frame
- Trusses - Decking Subflooring - Fencing

Specifications

Finishing Galv wire, S/Steel

Shank Ring Carton quantity 1,000 nails Fastener diameter 2.87 - 3.15mm Fastener length 50 - 75mm

Round Head Framing Nails









Gasless Pack






PRODUCT CODE	DESCRIPTION	PER	CTN QTY
ECKO Fastening Syster	ns		
ECKO Air Framer			
ND90S	ECKO FrameTec90™ Air Framer	Each	Each
ND100S	ECKO FrameTec100™ Air Framer - rear loading	Each	Each
Round Head 34° Strip N	lails - Gas Pack		
Round Head Gas Pack	- Galvanised		
OSR-3450RV	50 x 2.87 DECK NAIL Round Head Galvanised Ring Gas Pack	Carton	1,000
OSR-3465RV	65 x 2.87 PLY NAIL Round Head Galvanised Ring Gas Pack	Carton	1,000
OSR-3475RV	75 x 3.05 DECK NAIL Round Head Galvanised Ring Gas Pack	Carton	1,000
Round Head Gas Pack	- 304 Stainless Steel		
OSRSS-3450RV	50 x 2.87 DECK NAIL Round Head S/Steel Ring Gas Pack	Carton	1,000
OSRSS-3465RV	65 x 2.87 PLY NAIL Round Head S/Steel Ring Gas Pack	Carton	1,000
OSRSS-3475RV	75 x 3.05 DECK NAIL Round Head S/Steel Ring Gas Pack	Carton	1,000
Round Head 34° Strip N	lails - Gasless Pack		
Round Head Gasless Pa	ack - Galvanised		
OSR-3450R	50 x 2.87 DECK NAIL Round Head Galvanised Ring	Carton	1,000
OSR-3465R	65 x 2.87 PLY NAIL Round Head Galvanised Ring	Carton	1,000
OSR-3475R	75 x 3.05 DECK NAIL Round Head Galvanised Ring	Carton	1,000
Round Head Gasless Pa	ack - 304 Stainless Steel		
OSRSS-3450R	50 x 2.87 DECK NAIL Round Head S/Steel Ring	Carton	1,000
OSRSS-3465R	65 x 2.87 PLY NAIL Round Head S/Steel Ring	Carton	1,000
OSRSS-3475R	75 x 3.05 DECK NAIL Round Head S/Steel Ring	Carton	1,000

ECKO Round Head paper strip nails fits in the following gas tools: ECKO, BeA, Paslode, Power, Senco, Makita and all other D-Head air framer

InteriorMaster™

Gas Angle Bradder

16 Gauge, anlge finish brads 32mm - 63mm



Features & Benefits

- Applicable for different brands of fasteners and fuel cells
- Anti-jam magazine design
- Easy maintenance and less parts
- Light weight and robust

Applications

- Scyon™Axon® Panel & Titan® Facade Panel
- Exterior and interior trim
- Door and window construction
- Decoration
- Light framing
- Cabinet work
- Interior finishing

Specifications

Dimensions (mm) L320 x W86 x H280

Weight 1.96 kg
Magazine capacity 50 nails
Gauge 16

Fastener length 32 - 64mm

Max setting per hour Approx. 500 shots

Max setting per charge Approx. 5,200 shots

Charging time 2 hours

16 Gauge Angle Brads





Gas Pack

Gasless Pack



16 Gauge Angle Brads







PRODUCT CODE	DESCRIPTION	PER	BOX QTY
CODE			
Angle Brads 16 Gaug	e		
ECKO MultiTrim Cells	5		
Trimcells	ECKO MultiTrim Cell (works in any gas trimmer)	Each	12
ECKO Gas Angle Brad	dder		
GTAG16G	ECKO InteriorMaster™ Gas Angle Bradder	Each	Each
16 Gauge Angle Brad	ls Gas Pack - E/Galvanised		
AG-1632PL2	32 x 1.6mm E/Galvanised Angle Brads Gas Pack	Box	2,000
AG-1638PL2	38 x 1.6mm E/Galvanised Angle Brads Gas Pack	Box	2,000
AG-1645PL2	45 x 1.6mm E/Galvanised Angle Brads Gas Pack	Box	2,000
AG-1650PL2	50 x 1.6mm E/Galvanised Angle Brads Gas Pack	Box	2,000
AG-1663PL2	63 x 1.6mm E/Galvanised Angle Brads Gas Pack	Вох	2,000
16 Gauge Angle Brad	ls Gas Pack - 304 Stainless Steel	,	
AGSS-1632PL2	32 x 1.6mm S/Steel Angle Brads Gas Pack	Вох	2,000
AGSS-1638PL2	38 x 1.6mm S/Steel Angle Brads Gas Pack	Вох	2,000
AGSS-1645PL2	45 x 1.6mm S/Steel Angle Brads Gas Pack	Вох	2,000
AGSS-1650PL2	50 x 1.6mm S/Steel Angle Brads Gas Pack	Вох	2,000
AGSS-1663PL2	63 x 1.6mm S/Steel Angle Brads Gas Pack	Вох	2,000
16 Gauge Angle Brad	ls Gasless Pack - E/Galvanised		
AG-1632	32 x 1.6mm E/Galvanised Angle Brads	Вох	2,000
AG-1638	38 x 1.6mm E/Galvanised Angle Brads	Вох	2,000
AG-1645	45 x 1.6mm E/Galvanised Angle Brads	Вох	2,000
AG-1650	50 x 1.6mm E/Galvanised Angle Brads	Вох	2,000
AG-1663	63 x 1.6mm E/Galvanised Angle Brads	Вох	2,000
16 Gauge Angle Brad	ls Gasless Pack - 304 Stainless Steel		
AGSS-1632	32 x 1.6mm S/Steel Angle Brads	Вох	2,000
AGSS-1638	38 x 1.6mm S/Steel Angle Brads	Вох	2,000
AGSS-1645	45 x 1.6mm S/Steel Angle Brads	Вох	2,000
AGSS-1650	50 x 1.6mm S/Steel Angle Brads	Вох	2,000
AGSS-1663	63 x 1.6mm S/Steel Angle Brads	Вох	2,000

 ${\tt ECKO\,16\,Gauge\,Angle\,Brads\,fit\,in\,the\,following\,gas\,tools:}\ \ {\tt ECKO\,InteriorMaster^{TM}\,Gas\,Angle\,Bradder}$

InteriorMaster™

Gas Straight Bradder

16 Gauge, straight finish brads 25mm - 63mm



Features & Benefits

- Applicable for different brands of fasteners and fuel cells
- Anti-jam magazine design
- Easy maintenance and less parts
- Light weight and robust

Applications

- Exterior and interior trim
- Door and window construction
- Decoration
- Light framing
- Cabinet work
- Interior finishing

Specifications

Dimensions (mm) L320 x W86 x H285

Weight 2.05 kg
Magazine capacity 100 nails
Gauge 16

Fastener length 25 - 65mm

Max setting per hour Approx. 500 shots

Max setting per charge Approx. 5,200 shots

Charging time 2 hours

16 Gauge Straight Brads





Gas Pack

Gasless Pack



16 Gauge Straight Brads








PRODUCT CODE	DESCRIPTION	PER	BOX QTY
0001			
Straight Brads 16 Ga	uge		
ECKO MultiTrim Cells			
Trimcells	ECKO MultiTrim Cell (works in any gas trimmer)	Each	12
ECKO Gas Straight Br	radder		
GTBC16G	ECKO InteriorMaster™ Gas Straight Bradder	Each	Each
	·	·	
16 Gauge C Brads Ga	s Pack - E/Galvanised		
BC-1625PL2	C25 x 1.6mm E/Galvanised Straight Brads Gas Pack	Вох	2,500
BC-1630PL2	C30 x 1.6mm E/Galvanised Straight Brads Gas Pack	Вох	2,500
BC-1635PL2	C35 x 1.6mm E/Galvanised Straight Brads Gas Pack	Вох	2,500
BC-1640PL2	C40 x 1.6mm E/Galvanised Straight Brads Gas Pack	Вох	2,500
BC-1645PL2	C45 x 1.6mm E/Galvanised Straight Brads Gas Pack	Вох	2,500
BC-1650PL2	C50 x 1.6mm E/Galvanised Straight Brads Gas Pack	Вох	2,500
BC-1663PL2	C63 x 1.6mm E/Galvanised Straight Brads Gas Pack	Вох	2,500
16 Gauge C Brads Ga	s Pack - 304 Stainless Steel		
BCSS-1625PL2	C25 x 1.6mm S/Steel Straight Brads Gas Pack	Вох	2,500
BCSS-1630PL2	C30 x 1.6mm S/Steel Straight Brads Gas Pack	Вох	2,500
BCSS-1638PL2	C38 x 1.6mm S/Steel Straight Brads Gas Pack	Вох	2,500
BCSS-1650PL2	C50 x 1.6mm S/Steel Straight Brads Gas Pack	Вох	2,500
BCSS-1663PL2	C63 x 1.6mm S/Steel Straight Brads Gas Pack	Вох	2,500
16 Gauge C Brads Ga	sless Pack - E/Galvanised		
BC-1625	C25 x 1.6mm E/Galvanised Straight Brads	Вох	2,500
BC-1630	C30 x 1.6mm E/Galvanised Straight Brads	Вох	2,500
BC-1635	C35 x 1.6mm E/Galvanised Straight Brads	Вох	2,500
BC-1640	C40 x 1.6mm E/Galvanised Straight Brads	Вох	2,500
BC-1645	C45 x 1.6mm E/Galvanised Straight Brads	Вох	2,500
BC-1650	C50 x 1.6mm E/Galvanised Straight Brads	Вох	2,500
BC-1663	C63 x 1.6mm E/Galvanised Straight Brads	Вох	2,500
16 Gauge C Brads Ga	sless Pack - 304 Stainless Steel		
BCSS-1625	C25 x 1.6mm S/Steel Straight Brads	Вох	2,500
BCSS-1630	C30 x 1.6mm S/Steel Straight Brads	Вох	2,500
BCSS-1638	C38 x 1.6mm S/Steel Straight Brads	Вох	2,500
BCSS-1650	C50 x 1.6mm S/Steel Straight Brads	Вох	2,500
BCSS-1663	C63 x 1.6mm S/Steel Straight Brads	Вох	2,500

ECKO 16 Gauge Straight Brads fit in the following gas tools: ECKO InteriorMaster™ Gas Straight Bradder

BattenMaster™

Gas Stapler

Plastic collated, class 4 galvanised wire 33mm - 40mm



Features & Benefits

- Powerful for high density timber
- Reliable for huge volume fence construction
- Lightweight
- High impact driver blade for long life
- Adjustable depth control

Applications

- Rural livestock fencing
- Horticulture
- Rural heavy mesh and heavy woven fencing
- Predator control fencing
- Highway boundary fencing



Specifications

Dimensions (mm) L380 x W119 x H340

Weight 2.70 kg
Magazine capacity 100 nails
Staple diameter 3.33 x 2.7mm
Staple length 33-40mm

BattenMaster™ Satples





PRODUCT CODE	DESCRIPTION	PER	BUCKET QTY
Fence Batten Staple			
ECKO BattenMaster ¹	[™] Gas Stapler		
GTFB60	ECKO BattenMaster™ Gas Stapler	Each	Each
BattenMaster™ Fend	ce Batten Staples Gas Pack - Galvanised		
FBS31533V	ECKO BattenMaster™ Gas Pack Staples 3.15 x 33mm Galvanised	Bucket	2,700
FBS31540V	ECKO BattenMaster™ Gas Pack Staples 3.15 x 40mm Galvanised	Bucket	2,100



info@ecko.co.nz | 09 279 0210

Auckland

17 Carpenter Road, East Tamaki, Auckland New Zealand 2013

Hastings

500 Coventry Road, Tomoana, Hastings New Zealand 4172

Christchurch

37 Buchanans Road, Hornby, Christchurch New Zealand 8042

