

NEW & IMPROVED DESIGN




FOR MULTI-PURPOSE APPLICATIONS

TimbaTX[®] TIMBER SCREW

Yellow Zinc, OutDoor XGuard, 304 S/Steel



Countersunk Head
(8G)T20 & (10G) T25 Drive



Sizes

8g x 50, 65, 75, 90 & 100mm
10g x 50, 65, 75, 90 & 100mm

Type 17


Reduces splitting

T-REX Teeth

Quicker & Easier to install

TurboTIP

Engage within 1 second




Sizes

8g x 20 & 25mm

Thread

Full thread

Needle Point




Sizes

8g x 32, 40 & 45mm

Thread

Partial thread

Needle Point



Driver bit included

NEW & IMPROVED DESIGN



FOR MULTI-PURPOSE APPLICATIONS


TimbaTX[®] TIMBER SCREW

Yellow Zinc, OutDoor XGuard, 304 S/Steel



Countersunk Head

(8G)T20 & (10G) T25 Drive



Sizes

8g x 50, 65, 75, 90 & 100mm
10g x 50, 65, 75, 90 & 100mm

Type 17


Reduces splitting

T-REX Teeth

Quicker & Easier to install

TurboTIP

Engage within 1 second




Sizes

8g x 20 & 25mm

Thread

Full thread

Needle Point




Sizes

8g x 32, 40 & 45mm

Thread

Partial thread

Needle Point



Driver bit included

NEW & IMPROVED DESIGN



FOR MULTI-PURPOSE APPLICATIONS


TimbaTX[®] TIMBER SCREW

Yellow Zinc, OutDoor XGuard, 304 S/Steel



Countersunk Head

(8G)T20 & (10G) T25 Drive



Sizes

8g x 50, 65, 75, 90 & 100mm
10g x 50, 65, 75, 90 & 100mm

Type 17


Reduces splitting

T-REX Teeth

Quicker & Easier to install

TurboTIP

Engage within 1 second




Sizes

8g x 20 & 25mm

Thread

Full thread

Needle Point




Sizes

8g x 32, 40 & 45mm

Thread

Partial thread

Needle Point



Driver bit included